1

2

3

## **SENATE BILL No. 1043**

September 10, 2014, Introduced by Senator WALKER and referred to the Committee on Local Government and Elections.

"Corner recordation act,"
by amending the title and sections 2, 3, 4, 5, 6, 7, 8, and 14 (MCL 54.202, 54.203, 54.204, 54.205, 54.206, 54.207, 54.208, and

54.210d), sections 2, 3, 6, 7, 8, and 14 as amended by 2000 PA 34, and by adding sections 3a and 3b.

A bill to amend 1970 PA 74, entitled

## THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

TITLE

An act to protect and perpetuate publicland survey corners;
to require the establishment of monuments and the recording of
information concerning ORIGINAL AND PROTRACTED public land survey
corners; to prescribe the duties of the register of deeds;CERTAIN
STATE AND LOCAL GOVERNMENTAL OFFICERS AND ENTITIES; TO REQUIRE THE

- 1 PROMULGATION OF RULES; and to provide PRESCRIBE penalties.
- 2 Sec. 2. As used in this act:
- 3 (a) "Property corner" means a geographic point on the surface
- 4 of the earth, which is on, is a part of, and controls a property
- 5 <del>line.</del>
- 6 (b) "Property controlling corner" for a property means a
- 7 public land survey corner or any property corner which does not lie
- 8 on a property line of the property in question but which controls
- 9 the location of 1 or more of the property corners of the property
- 10 in question.
- 11 (c) "Public land survey corner" means any corner actually
- 12 established and monumented in an original survey or resurvey used
- 13 as a basis of legal description for issuing a patent for the land
- 14 to a private person from the United States government.
- 15 (d) "Corner", unless otherwise qualified, means a property
- 16 corner, a property controlling corner, a public land survey corner,
- or any combination of these.
- 18 (A) (e) "Accessory", with respect to a corner, means any
- 19 exclusively identifiable physical object whose spatial relationship
- 20 to the corner is recorded . Accessories may be bearing trees,
- 21 bearing objects, monuments, reference monuments, line trees, pits,
- 22 mounds, charcoal-filled bottles, steel or wooden stakes, or other
- 23 objects.ON A LAND CORNER RECORDATION CERTIFICATE THAT HAS BEEN
- 24 FILED UNDER THIS ACT.
- 25 (B) "CORNER" MEANS AN ORIGINAL PUBLIC LAND SURVEY CORNER, A
- 26 PROTRACTED PUBLIC LAND SURVEY CORNER, A PROPERTY CONTROLLING
- 27 CORNER, A WITNESS MONUMENT, OR A PROPERTY CORNER.

- 1 (C) "COUNTY REPRESENTATIVE" MEANS THE INDIVIDUAL PERFORMING
- 2 THE DUTIES OF COUNTY REPRESENTATIVE UNDER SECTION 9 OF THE STATE
- 3 SURVEY AND REMONUMENTATION ACT, 1990 PA 345, MCL 54.269.
- 4 (D) "DEPARTMENT" MEANS THE DEPARTMENT OF LICENSING AND
- 5 REGULATORY AFFAIRS.
- 6 (E) "LAND CORNER RECORDATION CERTIFICATE" MEANS A WRITTEN
- 7 RECORD FOR A CORNER IN THE FORM PRESCRIBED UNDER SECTION 5 THAT IS
- 8 TO BE FILED AS PROVIDED BY THIS ACT.
- 9 (f) "Monument" means a marker that occupies the position of a
- 10 corner and that possesses or is made to possess a magnetic field.
- 11 (G) "ORIGINAL PUBLIC LAND SURVEY CORNER" MEANS A CORNER
- 12 ESTABLISHED AND MONUMENTED PURSUANT TO ORDERS AND INSTRUCTIONS
- 13 ISSUED BY THE UNITED STATES GOVERNMENT FOR THE PURPOSES OF
- 14 DELINEATING THE UNITED STATES PUBLIC LANDS AND PRIVATE LANDS OR
- 15 SUBDIVIDING THE PUBLIC LANDS FOR CONVEYANCE.
- 16 (H) "PERSON" MEANS AN INDIVIDUAL, PARTNERSHIP, CORPORATION,
- 17 ASSOCIATION, GOVERNMENTAL ENTITY, OR OTHER LEGAL ENTITY.
- 18 (I) "PROPERTY CONTROLLING CORNER" MEANS EITHER OF THE
- 19 FOLLOWING:
- 20 (i) A POSITION MISIDENTIFIED AS AND USED AS AN ORIGINAL PUBLIC
- 21 LAND SURVEY CORNER OR AS A PROTRACTED PUBLIC LAND SURVEY CORNER
- 22 THAT SERVES TO CONTROL PROPERTY.
- 23 (ii) A CORNER THAT DOES NOT LIE ON A PROPERTY LINE OF A
- 24 PROPERTY BUT THAT CONTROLS THE LOCATION OF 1 OR MORE OF THE
- 25 PROPERTY CORNERS OF THE PROPERTY.
- 26 (J) "PROPERTY CORNER" MEANS A GEOGRAPHIC POINT ON THE SURFACE
- 27 OF THE EARTH THAT IS ON, IS A PART OF, AND CONTROLS A PROPERTY

- 1 LINE.
- 2 (K) "PROTRACTED PUBLIC LAND SURVEY CORNER" MEANS ANY OF THE
- 3 FOLLOWING:
- 4 (i) A CLOSING QUARTER SECTION POSITION ALONG A TOWNSHIP OR
- 5 RANGE LINE OR A CENTER QUARTER SECTION POSITION THAT WAS NOT
- 6 ACTUALLY MONUMENTED ON THE GROUND IN THE FIELD NOTES OF THE
- 7 ORIGINAL FEDERAL GOVERNMENT SURVEY, BUT THAT SERVES TO COMPLETE THE
- 8 NOMINAL HALF-MILE GRID OF GOVERNMENT CORNERS.
- 9 (ii) A MONUMENTED POSITION THAT IS NOT AN ORIGINAL PUBLIC LAND
- 10 SURVEY CORNER, THAT LIES ON A SECTION LINE OR QUARTER LINE NEAR A
- 11 BODY OF WATER, AND THAT SERVES TO DEFINE THE SECTION LINE OR
- 12 QUARTER LINE IN LIEU OF A SUBMERGED GOVERNMENT POSITION OR AN
- 13 OMITTED MEANDER POSITION.
- 14 (iii) A SECTION OR QUARTER SECTION CORNER THAT APPEARS BY THE
- 15 FIELD NOTES AND PLATS OF THE UNITED STATES SURVEY OF THIS STATE, ON
- 16 FILE IN THE STATE ARCHIVES, TO HAVE BEEN OMITTED AND NOT PROPERLY
- 17 ESTABLISHED OR MONUMENTED.
- 18 (1) (g) "Reference monument" means a special monument that does
- 19 not occupy the same geographical position as the corner itself but
- 20 whose spatial relationship to the corner is recorded and that
- 21 serves to witness the corner.AN ACCESSORY THAT IS EMPLOYED IF THE
- 22 SITE OF A CORNER IS SUCH THAT A MONUMENT CANNOT BE SET OR IS LIABLE
- 23 TO DESTRUCTION OR IF OCCUPATION OF THE SITE PROVIDES FOR UNSAFE
- 24 CONDITIONS.
- 25 (M) (h)—"Surveyor" means a professional surveyor who is
- 26 licensed to practice professional surveying under ARTICLE 20 OF the
- 27 occupational code, 1980 PA 299, MCL <del>339.101 to 339.2721.339.2001 TO</del>

- 1 339.2014.
- 2 (i) "Board" means the board of professional surveyors, as
- 3 established by section 2002 of the occupational code, 1980 PA 299,
- 4 MCL 339.2002.
- 5 (j) "Corner record" means a written record on a form, approved
- 6 by the board, of a corner established, reestablished, monumented,
- 7 remonumented, restored, rehabilitated, perpetuated, or used as a
- 8 control in a survey.
- 9 (k) "County surveyor" means an individual holding the elective
- 10 office of county surveyor, subject to section 95 of 1846 RS 14, MCL
- 11 54.95, or an individual appointed as county representative pursuant
- 12 to section 9 of the state survey and remonumentation act, 1990 PA
- 13 345, MCL 54.269.
- 14 (N) "WITNESS MONUMENT" IS AN ACCESSORY THAT IS A MONUMENTED
- 15 POINT NEAR A CORNER. A WITNESS MONUMENT IS ESTABLISHED ONLY IF IT
- 16 IS IMPRACTICABLE TO OCCUPY THE SITE OF A CORNER WITH A MONUMENT. A
- 17 WITNESS MONUMENT IS A WITNESS TO THE TRUE CORNER POINT. IF THE TRUE
- 18 POINT FOR A CORNER FALLS AT AN INACCESSIBLE PLACE, SUCH AS ON A
- 19 PRECIPITOUS SLOPE OR CLIFF WHERE THE CORNER CANNOT BE MONUMENTED, A
- 20 WITNESS MONUMENT IS ESTABLISHED AT A SUITABLE POINT WHERE THE
- 21 MONUMENT MAY BE PERMANENTLY CONSTRUCTED.
- 22 Sec. 3. If a—AN ORIGINAL public land survey corner or an
- 23 accessory to the corner is used by a surveyor, as a control in a
- 24 survey, not more than 90 days after completion of the survey, THE
- 25 ORIGINAL PUBLIC LAND SURVEY CORNER IS USED, the surveyor shall
- 26 complete, sign, seal, and file with the register of deeds of the
- 27 county where the ORIGINAL PUBLIC LAND SURVEY corner is situated, a

- 1 LAND corner record RECORDATION CERTIFICATE for the ORIGINAL public
- 2 land survey corner, or accessory to the corner, unless the ORIGINAL
- 3 PUBLIC LAND SURVEY corner monument and its accessories are as
- 4 described in an existing LAND corner record RECORDATION CERTIFICATE
- 5 THAT HAS BEEN filed under this act.
- 6 SEC. 3A. IF A PROTRACTED PUBLIC LAND SURVEY CORNER IS
- 7 MONUMENTED BY A SURVEYOR, OR IF A PREVIOUSLY MONUMENTED PROTRACTED
- 8 PUBLIC LAND SURVEY CORNER IS USED BY A SURVEYOR, NOT MORE THAN 90
- 9 DAYS AFTER THE PROTRACTED PUBLIC LAND SURVEY CORNER IS MONUMENTED
- 10 OR USED, THE SURVEYOR SHALL COMPLETE, SIGN, SEAL, AND FILE WITH THE
- 11 REGISTER OF DEEDS OF THE COUNTY WHERE THE PROTRACTED PUBLIC LAND
- 12 SURVEY CORNER IS SITUATED A LAND CORNER RECORDATION CERTIFICATE FOR
- 13 THE PROTRACTED PUBLIC LAND SURVEY CORNER, UNLESS THE PROTRACTED
- 14 PUBLIC LAND SURVEY CORNER MONUMENT AND ITS ACCESSORIES ARE AS
- 15 DESCRIBED IN AN EXISTING LAND CORNER RECORDATION CERTIFICATE THAT
- 16 HAS BEEN FILED UNDER THIS ACT.
- 17 SEC. 3B. IF A PROPERTY CONTROLLING CORNER HAS BEEN RECORDED OR
- 18 USED AS AN ORIGINAL PUBLIC LAND SURVEY CORNER OR PROTRACTED PUBLIC
- 19 LAND SURVEY CORNER, THE PROPERTY CONTROLLING CORNER MUST BE
- 20 RECORDED ON THE SAME LAND CORNER RECORDATION CERTIFICATE REQUIRED
- 21 TO BE FILED UNDER SECTION 3 OR 3A.
- 22 Sec. 4. A surveyor may file a corner record as to any property
- 23 corner, property controlling corner, reference monument or
- 24 accessory to a corner. IF SECTIONS 3, 3A, AND 3B DO NOT APPLY, A
- 25 SURVEYOR WHO MONUMENTS OR USES A CORNER MAY COMPLETE, SIGN, SEAL,
- 26 AND FILE WITH THE REGISTER OF DEEDS OF THE COUNTY WHERE THE CORNER
- 27 IS SITUATED A LAND CORNER RECORDATION CERTIFICATE FOR THE CORNER.

- 1 Sec. 5. (1) The board, DEPARTMENT, by rule, shall prescribe
- 2 the information which shall THAT MUST be included in the A LAND
- 3 corner record RECORDATION CERTIFICATE and the form in which the A
- 4 LAND corner shall RECORDATION CERTIFICATE MUST be presented and
- 5 filed.
- 6 (2) THE DEPARTMENT SHALL PROMULGATE RULES PURSUANT TO THE
- 7 ADMINISTRATIVE PROCEDURES ACT OF 1969, 1969 PA 306, MCL 24.201 TO
- 8 24.328, TO IMPLEMENT THIS ACT.
- 9 Sec. 6. (1) The A register of deeds shall receive for filing
- 10 the A completed LAND corner record RECORDATION CERTIFICATE and
- 11 preserve it in a hardbound book. The books shall MUST be numbered
- 12 in numerical order as filed.
- 13 (2) The A register of deeds shall number the LAND corner
- 14 records RECORDATION CERTIFICATES in numerical order as they are
- 15 filed.
- 16 (3) The A REGISTER OF DEEDS SHALL PLACE THE book and page
- 17 number in which the A LAND corner record RECORDATION CERTIFICATE is
- 18 filed shall be placed by the register of deeds on an index which
- 19 PROVIDED BY the register of deeds shall provide—for that purpose.
- 20 (4) The A register of deeds shall make these THE records
- 21 DESCRIBED IN THIS SECTION available for public inspection during
- 22 all usual office hours.
- 23 (5) The A REGISTER OF DEEDS SHALL DETERMINE THE fee for filing
- 24 a LAND corner record shall be determined RECORDATION CERTIFICATE as
- 25 provided in section 2567(1)(a) of the revised judicature act of
- 26 1961, 1961 PA 236, MCL 600.2567.
- Sec. 7. (1) If a LAND corner record RECORDATION CERTIFICATE is

- 1 required to be filed under this act, the surveyor shall monument
- 2 the corner, and RECORD AND IDENTIFY each accessory to the corner,
- 3 and leave the monument in such a physical condition that it remains
- 4 as permanent a monument as is reasonably possible. If access to the
- 5 corner location will create an unsafe condition, the surveyor may
- 6 install at least 4 reference monuments interrelated and visible
- 7 with the corner location and each other by angular and linear
- 8 measurements.
- 9 (2) IF A WITNESS MONUMENT IS SET, THE SURVEYOR MAY MONUMENT
- 10 THE CORNER AND SHALL SET THE WITNESS MONUMENT AS FOLLOWS:
- 11 (A) IN A SECURE LOCATION.
- 12 (B) ON A LINE OF SURVEY OR PROTRACTED LINE OF SURVEY AS SHOWN
- 13 ON THE GENERAL LAND OFFICE PLATS THAT INTERSECTS THE CORNER.
- 14 (C) AS CLOSE TO THE CORNER AS PRACTICABLE.
- 15 (3) A SURVEYOR WHO SETS A WITNESS MONUMENT UNDER SUBSECTION
- 16 (2) SHALL REPORT ON THE LAND CORNER RECORDATION CERTIFICATE THE
- 17 RELATION BETWEEN THE WITNESS MONUMENT AND THE TRUE CORNER AND THE
- 18 DIRECT CONNECTING COURSE AND DISTANCE FROM THE CORNER TO THE
- 19 WITNESS MONUMENT.
- 20 (4) IF A SURVEYOR SETS REFERENCE MONUMENTS, THE SURVEYOR SHALL
- 21 INSTALL AT LEAST 4 REFERENCE MONUMENTS INTERRELATED AND VISIBLE
- 22 WITH THE CORNER AND EACH OTHER BY ANGULAR AND LINEAR MEASUREMENTS.
- 23 IF A SURVEYOR SETS REFERENCE MONUMENTS, THE SURVEYOR IS NOT
- 24 REQUIRED TO SET THE CORNER.
- 25 (5) A SURVEYOR WHO SETS REFERENCE MONUMENTS UNDER SUBSECTION
- 26 (4) SHALL REPORT ALL OF THE FOLLOWING ON THE LAND CORNER
- 27 RECORDATION CERTIFICATE:

- 1 (A) THE RELATION BETWEEN THE REFERENCE MONUMENTS AND THE
- 2 CORNER.
- 3 (B) THE DIRECT CONNECTING COURSES AND DISTANCES BETWEEN THE
- 4 REFERENCE MONUMENTS AND THE CORNER.
- 5 (C) THE DISTANCES BETWEEN EACH REFERENCE MONUMENT AND THE 2
- 6 REFERENCE MONUMENTS THAT ARE CLOSEST TO THE REFERENCE MONUMENT.
- 7 Sec. 8. A LAND corner record shall RECORDATION CERTIFICATE MAY
- 8 not be filed unless it is signed, dated, and sealed by the
- 9 surveyor. However, in the case of FOR A CERTIFICATE PREPARED BY OR
- 10 ON BEHALF OF an agency of the United States government or this
- 11 state, the certificate shall MUST be approved, signed, dated, and
- 12 sealed by the surveyor in responsible charge of the agency and may
- 13 also be signed by the chief of the survey party making the survey.
- 14 Sec. 14. (1) A-EXCEPT AS PROVIDED IN THIS SUBSECTION OR
- 15 SUBSECTION (2), A person who defaces, destroys, alters, or removes
- 16 a corner monument, ACCESSORY, WITNESS MONUMENT, or reference
- 17 monument is guilty of a misdemeanor and shall be punished
- 18 **PUNISHABLE** by a fine of not more than \$1,000.00, \$5,000.00 or
- 19 imprisonment for not more than 180 days, or both, and shall be IS
- 20 responsible for the costs of reestablishment and replacement of the
- 21 monument, ACCESSORY, WITNESS MONUMENT, OR REFERENCE MONUMENT and
- 22 filing of the ASSOCIATED LAND corner record RECORDATION CERTIFICATE
- 23 by a surveyor. THIS SUBSECTION DOES NOT APPLY TO AN ACCESSORY THAT
- 24 IS ON PRIVATE PROPERTY.
- 25 (2) A corner monument, ACCESSORY, WITNESS MONUMENT, or
- 26 reference monument may be temporarily removed for construction
- 27 purposes if the corner is properly witnessed by a surveyor before

- 1 removal. The A monument, shall be ACCESSORY, WITNESS MONUMENT, OR
- 2 REFERENCE MONUMENT THAT IS REMOVED UNDER THIS SUBSECTION MUST BE
- 3 reset -AND rewitnessed and refiled AN ASSOCIATED LAND CORNER
- 4 RECORDATION CERTIFICATE FILED by a surveyor within 30 days after
- 5 the completion of THE construction. A corner monument, ACCESSORY,
- 6 WITNESS MONUMENT, or reference monument shall not be temporarily
- 7 removed for more than 1 year.
- 8 (3) A person who knows that a corner monument, ACCESSORY,
- 9 WITNESS MONUMENT, or reference monument has been defaced,
- 10 destroyed, altered, or removed shall report that fact IN WRITING to
- 11 the county surveyor REPRESENTATIVE AND THE COUNTY PROSECUTOR of the
- 12 county in which the corner is located.
- 13 (2) As used in this section, "person" means an individual,
- 14 partnership, corporation, association, governmental entity, or
- 15 other legal entity.

04515'13 \* Final Page TDR