



HOUSE BILL No. 5716

September 13 1994 Introduced by Rep Gubow and referred to the Committee on Conservation Environment and Great Lakes

A bill to amend the title of Act No 44 of the Public Acts of 1984, entitled as amended

'Motor fuels quality act

as amended being sections 290 641 to 290 650d of the Michigan Compiled Laws and to add section 3a

THE PEOPLE OF THE STATE OF MICHIGAN ENACT

1 Section 1 The title of Act No 44 of the Public Acts of
2 1984 as amended being sections 290 641 to 290 650d of the
3 Michigan Compiled Laws is amended and section 3a is added to
4 read as follows

5 TITLE

6 An act to provide purity and quality standards for motor
7 fuels to regulate the transfer sale, dispensing or offering
8 motor fuels for sale to provide for an inspection and testing
9 program TO REQUIRE CERTAIN ADDITIVES IN CERTAIN AUTOMOTIVE

1 PRODUCTS to provide for the powers and duties of certain state
2 agencies to provide for the licensing of certain persons engaged
3 in the transfer, sale, dispensing, or offering of motor fuels for
4 sale to regulate stage I and stage II vapor-recovery systems at
5 certain facilities to provide for fees and to provide remedies
6 and prescribe penalties

7 SEC 3A (1) AS USED IN THIS SECTION

8 (A) 'AUTOMOTIVE PRODUCT MEANS ENGINE COOLANT OR ANTIFREEZE
9 PREDILUTED ENGINE COOLANT OR PREDILUTED ANTIFREEZE, BRAKE FLUID,
10 AUTOMATIC TRANSMISSION FLUID, OR ANY EXTERNAL AUTOMOTIVE CLEANING
11 PRODUCT THAT CONTAINS MORE THAN 4% METHYL ALCOHOL

12 (B) "ENGINE COOLANT" OR "ANTIFREEZE" MEANS ANY SUBSTANCE OR
13 PREPARATION, REGARDLESS OF ITS ORIGIN, INTENDED TO BE DILUTED
14 BEFORE USE AS THE COOLING MEDIUM IN THE COOLING SYSTEM OF AN
15 INTERNAL COMBUSTION ENGINE TO PROVIDE PROTECTION AGAINST FREEZ-
16 ING, OVERHEATING, AND CORROSION OF THE COOLING SYSTEM, OR ANY
17 PRODUCT INTENDED TO BE DILUTED BEFORE USE WHICH IS LABELED TO
18 INDICATE OR IMPLY THAT IT WILL PREVENT FREEZING OR OVERHEATING OF
19 THE COOLING SYSTEM OF AN INTERNAL COMBUSTION ENGINE

20 (C) "PREDILUTED ENGINE COOLANT OR PREDILUTED ANTIFREEZE
21 MEANS ANY SUBSTANCE OR PREPARATION, REGARDLESS OF ITS ORIGIN,
22 INTENDED FOR USE FULL STRENGTH AS THE COOLING MEDIUM IN THE COOL-
23 ING SYSTEM OF AN INTERNAL COMBUSTION ENGINE TO PROVIDE PROTECTION
24 AGAINST FREEZING, OVERHEATING, AND CORROSION OF THE COOLING
25 SYSTEM, OR ANY SUBSTANCE OR PREPARATION INTENDED FOR USE FULL
26 STRENGTH WHICH IS LABELED TO INDICATE OR IMPLY THAT IT WILL

1 PREVENT OVERHEATING OR FREEZING OF THE COOLING SYSTEM OF AN
2 INTERNAL COMBUSTION ENGINE

3 (2) ANY ENGINE COOLANT OR ANTIFREEZE SOLD IN THIS STATE
4 AFTER JULY 1, 1995, THAT IS MANUFACTURED AFTER JANUARY 1, 1995,
5 AND THAT CONTAINS MORE THAN 10% ETHYLENE GLYCOL SHALL INCLUDE
6 DENATONIUM BENZOATE AT A MINIMUM OF 30 PARTS PER MILLION AS A
7 BITTERING AGENT WITHIN THE PRODUCT SO AS TO RENDER IT
8 UNPALATABLE ANOTHER BITTERING AGENT MAY BE USED IF IT PROVIDES
9 AN EQUIVALENT LEVEL OF BITTERNESS ANY MANUFACTURER OF A PRODUCT
10 SUBJECT TO THIS SUBSECTION SHALL CERTIFY IN WRITING TO THE
11 DEPARTMENT THE TRADE NAME, SCIENTIFIC NAME, AND ACTIVE INGREDI-
12 ENTS OF ANY BITTERING AGENT USED PURSUANT TO THIS SUBSECTION NOT
13 LATER THAN 30 DAYS AFTER THE AGENT HAS BEEN INCLUDED IN THE
14 PRODUCT

15 (3) ANY OTHER AUTOMOTIVE PRODUCT SOLD IN THIS STATE AFTER
16 JULY 1, 1995, THAT IS MANUFACTURED AFTER JANUARY 1, 1995 AND
17 CONTAINS MORE THAN 4% METHYL ALCOHOL THAT IS NOT FORMULATED AS A
18 MOTOR VEHICLE FUEL SHALL CONTAIN DENATONIUM BENZOATE AT A MINIMUM
19 OF 30 PARTS PER MILLION AS A BITTERING AGENT WITHIN THE PRODUCT
20 SO AS TO RENDER IT UNPALATABLE ANOTHER BITTERING AGENT MAY BE
21 USED IF IT PROVIDES AN EQUIVALENT LEVEL OF BITTERNESS ANY MANU-
22 FACTURER OF AN AUTOMOTIVE PRODUCT SUBJECT TO THIS SUBSECTION
23 SHALL CERTIFY IN WRITING TO THE DEPARTMENT THE TRADE NAME, SCIEN-
24 TIFIC NAME, AND ACTIVE INGREDIENTS OF ANY BITTERING AGENT USED
25 PURSUANT TO THIS SUBSECTION NOT LATER THAN 30 DAYS AFTER THE
26 AGENT HAS BEEN INCLUDED IN THE PRODUCT